

**Form - IV**  
**(See rule 13)**  
**ANNUAL / MONTHLY REPORT**

Sl. No.	Particulars	:	
1	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or operator of facility)	:	Director AIIMS Prof. Dr. P.K. Singh
	(ii) Name of HCF or CBMWTF	:	All India Institute of Medical Science, Patna (AIIMS)
	(iii) Address for Correspondence	:	AIIMS, Phulwarisharif, Patna - 801507
	(iv) Address of Facility	:	Same as above
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	<a href="mailto:Director@aiimspatna.org">Director@aiimspatna.org</a>
	(vii) URL of Website	:	<a href="https://www.aiimspatna.org/">https://www.aiimspatna.org/</a>
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Autonomous Organization
	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.:- BMW / 133 / 14B1984 valid up to 30-11-2023
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: 30-11-2023
2.	Type of Health Care Facility		
	(i) Bedded Hospital	:	No. of Beds: 960
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	
3.	Details of CBMWTF		
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : <b>7716.000</b>
		:	Red Category : <b>11805.500</b>
		:	White : <b>255.600</b>
		:	Blue Category : <b>1506.700</b>
		:	General Solid waste: Outsourced

*Ref*  
S.O

5. Details of the Storage, treatment, transportation, processing and Disposal Facility			
(i) Details of the on-site storage facility	:	Size	: 4 × (12 × 10) sq. feet
	:	Capacity	: 4 × 30.61 m <sup>3</sup>
(ii) Disposal facilities	:	Provision of on-site storage : (cold storage or any other provision)	
	:	Type of treatment Equipment	No of acit r Kg/ day disposed in kg per annum
	:	Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:	Handled by - CBMWTF Operator
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) Handled by CBMWTF operator	
(iv) No of vehicles used for collection and transportation of biomedical waste	:	02 (Two)	
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	Incineration Ash	Quantity Generated Where disposed
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	IGIMS, Patna / Sangam Mediserve Pvt. Ltd	
(vii) List of member HCF not handed over bio-medical waste.	:	NA	
6. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	Yes, attached	

*Ray*  
S.O

7.	Details trainings conducted on BMW	
(i)	Number of trainings conducted on BMW Management.	House Keeping Staff - 25
(ii)	Number of personnel trained	Total -25
(iii)	Number of personnel trained at the time of induction	
(iv)	Number of personnel not undergone any training so far	NA
(v)	Whether standard manual for training is available?	YES
(vi)	Any other information	Nil
8.	Details of the accident occurred during the year	
(i)	Number of Accidents occurred	Nil
(ii)	Number of the persons affected	Nil
(iii)	Remedial Action taken (Please attach details if any)	Nil
(iv)	Any Fatality occurred, details.	Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	STP of 1200 KLD & ETP of 100 KLD has been commissioned, discharge consent order having memo No.-B-177 dt. 28-01-2021 is obtained from Bihar state pollution control board. 2.25 kg sludge generated in the month of August 2021
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
12.	Any other relevant information	NA

Certified that the above report is for the period from

01 August 2021 to 31 August 2021

*Ray*  
50

Date: 15-09-2021  
Place: PATNA

Name and Signature of the Head of the Institution