


Form - IV
(See rule 13)
ANNUAL / MONTHLY REPORT

Sl. No.	Particulars	:	
1	Particulars of the Occupier		
	(i) Name of the authorized person (occupier or operator of facility)	:	Director AIIMS Prof. Dr. P.K. Singh
	(ii) Name of HCF or CBMWTF	:	All India Institute of Medical Science, Patna
	(iii) Address for Correspondence	:	AIIMS, Phulwarisharif, Patna - 801507
	(iv) Address of Facility	:	Same as above
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	Director@aiimspatna.org
	(vii) URL of Website	:	https://www.aiimspatna.org/
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Autonomous Organization
	(x) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No:-BMW/133/14B3308 Date-15.12.2021 valid up to 30-11-2023
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: 30-11-2023
2.	Type of Health Care Facility		
	(i) Bedded Hospital	:	No. of Beds: 960
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	
3.	Details of CBMWTF		
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 8466.2
		:	Red Category : 11190.7
		:	White : 259.4
		:	Blue Category : 1643.2
		:	General Solid waste: Outsourced


S.D


5. Details of the Storage, treatment, transportation, processing and Disposal Facility									
(i) Details of the on-site storage facility	: Size : 4 × (12 × 10) sq. feet								
	: Capacity : 4 × 30.61 m ³								
	: Provision of on-site storage : (cold storage or any other provision)								
(ii) Disposal facilities	<table border="0"> <thead> <tr> <th>Type of treatment Equipment</th> <th>No of years</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:</td> <td></td> <td></td> <td>Handled by - CBMWTF Operator</td> </tr> </tbody> </table>	Type of treatment Equipment	No of years	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			Handled by - CBMWTF Operator
Type of treatment Equipment	No of years	Capacity Kg/day	Quantity treated or disposed in kg per annum						
Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			Handled by - CBMWTF Operator						
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	: Red Category (like plastic, glass etc.) Handled by CBMWTF operator								
(iv) No of vehicles used for collection and transportation of biomedical waste	: 02 (Two)								
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	: Incineration Ash Quantity Generated Where disposed								
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	: IGIMS, Patna / Sangam Mediserve Pvt. Ltd								
(vii) List of member HCF not handed over bio-medical waste.	: NA								
6. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	: Yes, attached								

Rayer
SD

7.	Details trainings conducted on BMW	
(i)	Number of trainings conducted on BMW Management.	: 2 (Sanitation Section-1 & HICC -1)
(ii)	Number of personnel trained	: House Keeping Staff trained by sanitation section-00, Number of personnel trained by HICC-03, Total-03
(iii)	Number of personnel trained at the time of induction	:
(iv)	Number of personnel not undergone any training so far	: NA
(v)	Whether standard manual for training is available?	: YES
(vi)	Any other information	: Nil
8.	Details of the accident occurred during the year	
(i)	Number of Accidents occurred	: Nil
(ii)	Number of the persons affected	: Nil
(iii)	Remedial Action taken (Please attach details if any)	: Nil
(iv)	Any Fatality occurred, details.	: Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	: NA
	Details of Continuous online emission monitoring systems installed	:
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	: STP of 1200 KLD & ETP of 100 KLD has been commissioned, discharge consent order having memo No.-B-177 date 28-01-2021 is obtained from Bihar state pollution control board. 2.25 kg sludge generated in the month of November 2021
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	: NA
12.	Any other relevant information	: NA

Certified that the above report is for the period from

01 November 2021 to 30 November 2021


S.O

Date: 20-12-2021

Place: PATNA

Name and Signature of the Head of the Institution

