

Form - IV
(See rule 13)
ANNUALREPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	DIRECTOR
	(ii) Name of HCF or CBMWTF	:	AIIMS PATNA
	(iii) Address for Correspondence	:	PHULWARISHARIF PATNA-801507
	(iv) Address of Facility	:	- DO -
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	Psdirector@aiimspatna.org
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: BMW/133/14 B 1984valid up to 30/11/2023
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to:
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 200
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 49788 Red Category : 59067.7 White: 1287.2 Blue Category : 18734.3 General Solid waste: outsourced

Pen: Kumar
S.E. (25/02/2023)

5		Details of the Storage, treatment, transportation, processing and Disposal Facility	
(i) Details of the on-site storage facility	Size	4 X (12 X 10) Sq. feet	
	Capacity	4 X 30.61 m ³	
	Provision of on-site storage	(cold storage or any other provision)	
disposal facilities	Type of treatment equipment	No of	Cap acit r Kg/ day
		Quantity treatedo unit disposed in kg per annum	
	Incinerators Plasma	Handled by CBMWTF Operator	
	Pyrolysis		
	Autoclaves		
	Microwave		
	Hydroclave		
Shredder			
Needle tip cutter or destroyer			
Sharps encapsulation or concrete pit			
Deep burial pits:			
Chemical disinfection:			
Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.)	N.A	
(iv) No of vehicles used for collection and transportation of biomedical waste		02 (Two)	
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Quantity generated	Where disposed	
	Incineration Ash		
	ETP Sludge		
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		SANGAM MEDISERVE Pvt. Ltd. IGIMS, Patna	
(vii) List of member HCF not handed over bio-medical waste.		—	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes, attached.	

Revi-kumar
 SI. (25/02/2020)

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		09
	(ii) number of personnel trained		464
	(iii) number of personnel trained at the time of induction		N.A
	(iv) number of personnel not undergone any training so far		N.A
	(v) whether standard manual for training is available?		YES
	(vi) any other information)		Infection Control manual 2019 available.
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		56 (Needle stick injury)
	(ii) Number of the persons affected		01 case was reported with Hep B.
	(iii) Remedial Action taken (Please attach details if any)		Hepatitis B Immunoglobulin 600 IU IM administered, Hep B Vaccine initiated
	(iv) Any Fatality occurred, details.		NO
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		N.A
	Details of Continuous online emission monitoring systems installed		N.A
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		The STP has been Commissioned & it is under observation for parameters Commissioning process of ETP is in final stage.
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N.A
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

.....
 01 January 2019 to 31 December 2019.

Name and Signature of the Head of the Institution



Date: 26/02/2020
 Place PATNA

Dr. K. Singh
 SI. (25/02/2020)



अखिल भारतीय आयुर्विज्ञान संस्थान पटना
ALL INDIA INSTITUTE OF MEDICAL SCIENCES PATNA



Department of Sanitation

BIO-MEDICAL WASTE RECORD FROM JAN 2019 TO DEC 2019

Month	Yellow	Blue	White	Red	Total (K.G)
Jan	3416.2	836.2	105.2	4026.8	8384.4
Feb	3184.8	731.8	70.5	3877.2	7864.3
Mar	3452	1028.3	78.5	4224.2	8783
Apr	3458.5	1246.4	117.3	4487.8	9310
May	4116.7	1366.9	98.8	4844	10426.4
Jun	3666.9	1544.7	71.2	4497.7	9780.5
Jul	4163	2447.9	124.6	4797.7	11533.2
Aug	4057.2	2442	99.8	4670.9	11269.9
Sep	4614.1	2174	81.9	5472.3	12342.3
Oct	5057	1563.8	129.2	5879	12629
Nov	5338.1	1652.4	157.1	6078.9	13226.5
Dec	5263.5	1699.9	153.1	6211.2	13327.7
Total	49788	18734.3	1287.2	59067.7	128877.2

Pen-Kumar
SI. (25/02/2020)

